

<b>Notice of Allowability</b>	Application No.	Applicant(s)
	09/894,421	CHENG ET AL.
	Examiner	Art Unit
	Andrea M. Ragonese	3743

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to Amendment filed on 18 March 2005.
2.  The allowed claim(s) is/are 1.
3.  The drawings filed on 28 June 2001 are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All      b)  Some\*      c)  None      of the:
    1.  Certified copies of the priority documents have been received.
    2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

#### Attachment(s)

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 9/2001; 1/2002
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.

Henry Bennett  
Supervisory Patent Examiner  
Group 3700

#### EXAMINER'S AMENDMENT

1. Applicant's election of Species 1 (drawn to **claim 1**) in the reply filed on March 18, 2005 is acknowledged. Because applicant did not distinctly and specifically point out the supposed errors in the restriction requirement, the election has been treated as an election without traverse (MPEP § 818.03(a)).
2. This application is in condition for allowance except for the presence of **claims 2-13** to species non-elected without traverse. Accordingly, **claims 2-13** been cancelled hereinafter by an examiner's amendment.
3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
4. The application has been amended as follows:
  - **Claims 2-13** are canceled.
5. The following is an examiner's statement of reasons for allowance: the method disclosed in **claim 1** comprising the steps of:
  - a. providing a catheter with an intermediate section form from a flexible material, a first lumen and a second lumen with a side opening;
  - b. extending a pre-shaped retaining wire through the first lumen to form the catheter's intermediate section into a U-shaped configuration;in combination with the steps of:

- c. inserting and withdrawing a straightening wire from the second lumen in order to straighten the catheter, introduce the catheter to a position within the patient in order to align the second lumen side opening with an aneurysm and then return the catheter back to the original U-shaped configuration;
- d. before delivering an embolic coil into the aneurysm through the side opening in the second lumen; and
- e. then straightening the catheter's intermediate section again by inserting the straightening wire in order to remove it from the patient;

has not been taught nor suggested in the prior art of record.

6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Andrea M. Ragonese whose telephone number is 571-272-4804**. The examiner can normally be reached on Monday through Friday from 9:00 am until 5:00 pm.

8. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Henry A. Bennett can be reached on 571-272-4791. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3743

9. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AMR  
June 13, 2005

  
Henry Bennett  
Supervisory Patent Examiner  
Group 3700